


www.itulipmedical.com



Tulip


**International
Tulip Medical**





**International
Tulip Medical**


CANNULA CONNECTIONS



Luer lock
(Stainless Steel)



Luer lock



Super Luer lock



Threaded Connector



60cc Toomey Hub



Power Cannula

Cannulas and Harvesters as a complete instrument ready to use with an aspiration machine for liposuction and large volume fat harvesting procedures.



Power Handles

Cannula can be attached to polymer power handles for machine liposuction. The friction hub grip allows you to quickly change to different cannulas during your liposuction procedure.



Harvesting Cannulas



Carraway Harvester

A spiral three-port design that is safe and effective for multi-plane adipose tissue harvesting very popular for small volume procedures performed using local anesthesia.

Luer lock

1000.1507	Ø 1.5 mm X 7 cm
1000.1509	Ø 1.5 mm X 9 cm
1000.1510	Ø 1.5 mm X 10 cm
1000.1512	Ø 1.5 mm X 12 cm
1000.2010	Ø 2.0 mm X 10 cm
1000.2012	Ø 2.0 mm X 12 cm
1000.2015	Ø 2.0 mm X 15 cm
1000.2020	Ø 2.0 mm X 20 cm
1000.2515	Ø 2.5 mm X 15 cm
1000.2520	Ø 2.5 mm X 20 cm
1000.2525	Ø 2.5 mm X 25 cm
1000.3015	Ø 3.0 mm X 15 cm
1000.3020	Ø 3.0 mm X 20 cm
1000.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2000.1507	Ø 1.5 mm X 7 cm
2000.1509	Ø 1.5 mm X 9 cm
2000.1510	Ø 1.5 mm X 10 cm
2000.1512	Ø 1.5 mm X 12 cm
2000.2010	Ø 2.0 mm X 10 cm
2000.2012	Ø 2.0 mm X 12 cm
2000.2015	Ø 2.0 mm X 15 cm
2000.2020	Ø 2.0 mm X 20 cm
2000.2515	Ø 2.5 mm X 15 cm
2000.2520	Ø 2.5 mm X 20 cm
2000.2525	Ø 2.5 mm X 25 cm
2000.3015	Ø 3.0 mm X 15 cm
2000.3020	Ø 3.0 mm X 20 cm
2000.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3000.1507	Ø 1.5 mm X 7 cm
3000.1509	Ø 1.5 mm X 9 cm
3000.1510	Ø 1.5 mm X 10 cm
3000.1512	Ø 1.5 mm X 12 cm
3000.2010	Ø 2.0 mm X 10 cm
3000.2012	Ø 2.0 mm X 12 cm
3000.2015	Ø 2.0 mm X 15 cm
3000.2020	Ø 2.0 mm X 20 cm
3000.2515	Ø 2.5 mm X 15 cm
3000.2520	Ø 2.5 mm X 20 cm
3000.2525	Ø 2.5 mm X 25 cm
3000.3015	Ø 3.0 mm X 15 cm
3000.3020	Ø 3.0 mm X 20 cm
3000.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4000.2015	Ø 2.0 mm X 15 cm
4000.3015	Ø 3.0 mm X 15 cm
4000.3020	Ø 3.0 mm X 20 cm
4000.3025	Ø 3.0 mm X 25 cm
4000.3030	Ø 3.0 mm X 30 cm
4000.4020	Ø 4.0 mm X 20 cm
4000.4025	Ø 4.0 mm X 25 cm
4000.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5000.2015	Ø 2.0 mm X 15 cm
5000.3015	Ø 3.0 mm X 15 cm
5000.3020	Ø 3.0 mm X 20 cm
5000.3025	Ø 3.0 mm X 25 cm
5000.3030	Ø 3.0 mm X 30 cm
5000.4020	Ø 4.0 mm X 20 cm
5000.4025	Ø 4.0 mm X 25 cm
5000.4030	Ø 4.0 mm X 30 cm

Power Cannula

6000.2015	Ø 2.0 mm X 15 cm
6000.2020	Ø 2.0 mm X 20 cm
6000.2025	Ø 2.0 mm X 25 cm
6000.2030	Ø 2.0 mm X 30 cm
6000.2035	Ø 2.0 mm X 35 cm
6000.3015	Ø 3.0 mm X 15 cm
6000.3020	Ø 3.0 mm X 20 cm
6000.3025	Ø 3.0 mm X 25 cm
6000.3030	Ø 3.0 mm X 30 cm
6000.3035	Ø 3.0 mm X 35 cm
6000.4015	Ø 4.0 mm X 15 cm
6000.4020	Ø 4.0 mm X 20 cm
6000.4025	Ø 4.0 mm X 25 cm
6000.4030	Ø 4.0 mm X 30 cm
6000.4035	Ø 4.0 mm X 35 cm
6000.5015	Ø 5.0 mm X 15 cm
6000.5020	Ø 5.0 mm X 20 cm
6000.5025	Ø 5.0 mm X 25 cm
6000.5030	Ø 5.0 mm X 30 cm
6000.5035	Ø 5.0 mm X 35 cm
6000.6015	Ø 6.0 mm X 15 cm
6000.6020	Ø 6.0 mm X 20 cm
6000.6025	Ø 6.0 mm X 25 cm
6000.6030	Ø 6.0 mm X 30 cm
6000.6035	Ø 6.0 mm X 35 cm

Harvesting Cannulas



**International
Tulip Medical**



Miller Speed Harvester

A six port configured CellFriendly harvester that yields maximum tissue volume in minimal time. Simply revolutionizing.

Luer lock

1001.1507	Ø 1.5 mm X 7 cm
1001.1509	Ø 1.5 mm X 9 cm
1001.1510	Ø 1.5 mm X 10 cm
1001.1512	Ø 1.5 mm X 12 cm
1001.2010	Ø 2.0 mm X 10 cm
1001.2012	Ø 2.0 mm X 12 cm
1001.2015	Ø 2.0 mm X 15 cm
1001.2020	Ø 2.0 mm X 20 cm
1001.2515	Ø 2.5 mm X 15 cm
1001.2520	Ø 2.5 mm X 20 cm
1001.2525	Ø 2.5 mm X 25 cm
1001.3015	Ø 3.0 mm X 15 cm
1001.3020	Ø 3.0 mm X 20 cm
1001.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2001.1507	Ø 1.5 mm X 7 cm
2001.1509	Ø 1.5 mm X 9 cm
2001.1510	Ø 1.5 mm X 10 cm
2001.1512	Ø 1.5 mm X 12 cm
2001.2010	Ø 2.0 mm X 10 cm
2001.2012	Ø 2.0 mm X 12 cm
2001.2015	Ø 2.0 mm X 15 cm
2001.2020	Ø 2.0 mm X 20 cm
2001.2515	Ø 2.5 mm X 15 cm
2001.2520	Ø 2.5 mm X 20 cm
2001.2525	Ø 2.5 mm X 25 cm
2001.3015	Ø 3.0 mm X 15 cm
2001.3020	Ø 3.0 mm X 20 cm
2001.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3001.1507	Ø 1.5 mm X 7 cm
3001.1509	Ø 1.5 mm X 9 cm
3001.1510	Ø 1.5 mm X 10 cm
3001.1512	Ø 1.5 mm X 12 cm
3001.2010	Ø 2.0 mm X 10 cm
3001.2012	Ø 2.0 mm X 12 cm
3001.2015	Ø 2.0 mm X 15 cm
3001.2020	Ø 2.0 mm X 20 cm
3001.2515	Ø 2.5 mm X 15 cm
3001.2520	Ø 2.5 mm X 20 cm
3001.2525	Ø 2.5 mm X 25 cm
3001.3015	Ø 3.0 mm X 15 cm
3001.3020	Ø 3.0 mm X 20 cm
3001.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4001.2015	Ø 2.0 mm X 15 cm
4001.3015	Ø 3.0 mm X 15 cm
4001.3020	Ø 3.0 mm X 20 cm
4001.3025	Ø 3.0 mm X 25 cm
4001.3030	Ø 3.0 mm X 30 cm
4001.4020	Ø 4.0 mm X 20 cm
4001.4025	Ø 4.0 mm X 25 cm
4001.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5001.2015	Ø 2.0 mm X 15 cm
5001.3015	Ø 3.0 mm X 15 cm
5001.3020	Ø 3.0 mm X 20 cm
5001.3025	Ø 3.0 mm X 25 cm
5001.3030	Ø 3.0 mm X 30 cm
5001.4020	Ø 4.0 mm X 20 cm
5001.4025	Ø 4.0 mm X 25 cm
5001.4030	Ø 4.0 mm X 30 cm

Power Cannula

6001.2015	Ø 2.0 mm X 15 cm
6001.2020	Ø 2.0 mm X 20 cm
6001.2025	Ø 2.0 mm X 25 cm
6001.2030	Ø 2.0 mm X 30 cm
6001.2035	Ø 2.0 mm X 35 cm
6001.3015	Ø 3.0 mm X 15 cm
6001.3020	Ø 3.0 mm X 20 cm
6001.3025	Ø 3.0 mm X 25 cm
6001.3030	Ø 3.0 mm X 30 cm
6001.3035	Ø 3.0 mm X 35 cm
6001.4015	Ø 4.0 mm X 15 cm
6001.4020	Ø 4.0 mm X 20 cm
6001.4025	Ø 4.0 mm X 25 cm
6001.4030	Ø 4.0 mm X 30 cm
6001.4035	Ø 4.0 mm X 35 cm
6001.5015	Ø 5.0 mm X 15 cm
6001.5020	Ø 5.0 mm X 20 cm
6001.5025	Ø 5.0 mm X 25 cm
6001.5030	Ø 5.0 mm X 30 cm
6001.5035	Ø 5.0 mm X 35 cm
6001.6015	Ø 6.0 mm X 15 cm
6001.6020	Ø 6.0 mm X 20 cm
6001.6025	Ø 6.0 mm X 25 cm
6001.6030	Ø 6.0 mm X 30 cm
6001.6035	Ø 6.0 mm X 35 cm



Harvesting Cannulas



TriPort Harvester

A triple port harvester, ideal for obtaining small aliquots of adipose tissue from a single plane.

Luer lock

1002.1507	Ø 1.5 mm X 7 cm
1002.1509	Ø 1.5 mm X 9 cm
1002.1510	Ø 1.5 mm X 10 cm
1002.1512	Ø 1.5 mm X 12 cm
1002.2010	Ø 2.0 mm X 10 cm
1002.2012	Ø 2.0 mm X 12 cm
1002.2015	Ø 2.0 mm X 15 cm
1002.2020	Ø 2.0 mm X 20 cm
1002.2515	Ø 2.5 mm X 15 cm
1002.2520	Ø 2.5 mm X 20 cm
1002.2525	Ø 2.5 mm X 25 cm
1002.3015	Ø 3.0 mm X 15 cm
1002.3020	Ø 3.0 mm X 20 cm
1002.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2002.1507	Ø 1.5 mm X 7 cm
2002.1509	Ø 1.5 mm X 9 cm
2002.1510	Ø 1.5 mm X 10 cm
2002.1512	Ø 1.5 mm X 12 cm
2002.2010	Ø 2.0 mm X 10 cm
2002.2012	Ø 2.0 mm X 12 cm
2002.2015	Ø 2.0 mm X 15 cm
2002.2020	Ø 2.0 mm X 20 cm
2002.2515	Ø 2.5 mm X 15 cm
2002.2520	Ø 2.5 mm X 20 cm
2002.2525	Ø 2.5 mm X 25 cm
2002.3015	Ø 3.0 mm X 15 cm
2002.3020	Ø 3.0 mm X 20 cm
2002.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3002.1507	Ø 1.5 mm X 7 cm
3002.1509	Ø 1.5 mm X 9 cm
3002.1510	Ø 1.5 mm X 10 cm
3002.1512	Ø 1.5 mm X 12 cm
3002.2010	Ø 2.0 mm X 10 cm
3002.2012	Ø 2.0 mm X 12 cm
3002.2015	Ø 2.0 mm X 15 cm
3002.2020	Ø 2.0 mm X 20 cm
3002.2515	Ø 2.5 mm X 15 cm
3002.2520	Ø 2.5 mm X 20 cm
3002.2525	Ø 2.5 mm X 25 cm
3002.3015	Ø 3.0 mm X 15 cm
3002.3020	Ø 3.0 mm X 20 cm
3002.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4002.2015	Ø 2.0 mm X 15 cm
4002.3015	Ø 3.0 mm X 15 cm
4002.3020	Ø 3.0 mm X 20 cm
4002.3025	Ø 3.0 mm X 25 cm
4002.3030	Ø 3.0 mm X 30 cm
4002.4020	Ø 4.0 mm X 20 cm
4002.4025	Ø 4.0 mm X 25 cm
4002.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5002.2015	Ø 2.0 mm X 15 cm
5002.3015	Ø 3.0 mm X 15 cm
5002.3020	Ø 3.0 mm X 20 cm
5002.3025	Ø 3.0 mm X 25 cm
5002.3030	Ø 3.0 mm X 30 cm
5002.4020	Ø 4.0 mm X 20 cm
5002.4025	Ø 4.0 mm X 25 cm
5002.4030	Ø 4.0 mm X 30 cm

Power Cannula

6002.2015	Ø 2.0 mm X 15 cm
6002.2020	Ø 2.0 mm X 20 cm
6002.2025	Ø 2.0 mm X 25 cm
6002.2030	Ø 2.0 mm X 30 cm
6002.2035	Ø 2.0 mm X 35 cm
6002.3015	Ø 3.0 mm X 15 cm
6002.3020	Ø 3.0 mm X 20 cm
6002.3025	Ø 3.0 mm X 25 cm
6002.3030	Ø 3.0 mm X 30 cm
6002.3035	Ø 3.0 mm X 35 cm
6002.4015	Ø 4.0 mm X 15 cm
6002.4020	Ø 4.0 mm X 20 cm
6002.4025	Ø 4.0 mm X 25 cm
6002.4030	Ø 4.0 mm X 30 cm
6002.4035	Ø 4.0 mm X 35 cm
6002.5015	Ø 5.0 mm X 15 cm
6002.5020	Ø 5.0 mm X 20 cm
6002.5025	Ø 5.0 mm X 25 cm
6002.5030	Ø 5.0 mm X 30 cm
6002.5035	Ø 5.0 mm X 35 cm
6002.6015	Ø 6.0 mm X 15 cm
6002.6020	Ø 6.0 mm X 20 cm
6002.6025	Ø 6.0 mm X 25 cm
6002.6030	Ø 6.0 mm X 30 cm
6002.6035	Ø 6.0 mm X 35 cm

Harvesting Cannulas



**International
Tulip Medical**



J.W. Little Harvester

A less aggressive harvester with a 6 port configuration.

Luer lock

1003.1507	Ø 1.5 mm X 7 cm
1003.1509	Ø 1.5 mm X 9 cm
1003.1510	Ø 1.5 mm X 10 cm
1003.1512	Ø 1.5 mm X 12 cm
1003.2010	Ø 2.0 mm X 10 cm
1003.2012	Ø 2.0 mm X 12 cm
1003.2015	Ø 2.0 mm X 15 cm
1003.2020	Ø 2.0 mm X 20 cm
1003.2515	Ø 2.5 mm X 15 cm
1003.2520	Ø 2.5 mm X 20 cm
1003.2525	Ø 2.5 mm X 25 cm
1003.3015	Ø 3.0 mm X 15 cm
1003.3020	Ø 3.0 mm X 20 cm
1003.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2003.1507	Ø 1.5 mm X 7 cm
2003.1509	Ø 1.5 mm X 9 cm
2003.1510	Ø 1.5 mm X 10 cm
2003.1512	Ø 1.5 mm X 12 cm
2003.2010	Ø 2.0 mm X 10 cm
2003.2012	Ø 2.0 mm X 12 cm
2003.2015	Ø 2.0 mm X 15 cm
2003.2020	Ø 2.0 mm X 20 cm
2003.2515	Ø 2.5 mm X 15 cm
2003.2520	Ø 2.5 mm X 20 cm
2003.2525	Ø 2.5 mm X 25 cm
2003.3015	Ø 3.0 mm X 15 cm
2003.3020	Ø 3.0 mm X 20 cm
2003.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3003.1507	Ø 1.5 mm X 7 cm
3003.1509	Ø 1.5 mm X 9 cm
3003.1510	Ø 1.5 mm X 10 cm
3003.1512	Ø 1.5 mm X 12 cm
3003.2010	Ø 2.0 mm X 10 cm
3003.2012	Ø 2.0 mm X 12 cm
3003.2015	Ø 2.0 mm X 15 cm
3003.2020	Ø 2.0 mm X 20 cm
3003.2515	Ø 2.5 mm X 15 cm
3003.2520	Ø 2.5 mm X 20 cm
3003.2525	Ø 2.5 mm X 25 cm
3003.3015	Ø 3.0 mm X 15 cm
3003.3020	Ø 3.0 mm X 20 cm
3003.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4003.2015	Ø 2.0 mm X 15 cm
4003.3015	Ø 3.0 mm X 15 cm
4003.3020	Ø 3.0 mm X 20 cm
4003.3025	Ø 3.0 mm X 25 cm
4003.3030	Ø 3.0 mm X 30 cm
4003.4020	Ø 4.0 mm X 20 cm
4003.4025	Ø 4.0 mm X 25 cm
4003.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5003.2015	Ø 2.0 mm X 15 cm
5003.3015	Ø 3.0 mm X 15 cm
5003.3020	Ø 3.0 mm X 20 cm
5003.3025	Ø 3.0 mm X 25 cm
5003.3030	Ø 3.0 mm X 30 cm
5003.4020	Ø 4.0 mm X 20 cm
5003.4025	Ø 4.0 mm X 25 cm
5003.4030	Ø 4.0 mm X 30 cm

Power Cannula

6003.2015	Ø 2.0 mm X 15 cm
6003.2020	Ø 2.0 mm X 20 cm
6003.2025	Ø 2.0 mm X 25 cm
6003.2030	Ø 2.0 mm X 30 cm
6003.2035	Ø 2.0 mm X 35 cm
6003.3015	Ø 3.0 mm X 15 cm
6003.3020	Ø 3.0 mm X 20 cm
6003.3025	Ø 3.0 mm X 25 cm
6003.3030	Ø 3.0 mm X 30 cm
6003.3035	Ø 3.0 mm X 35 cm
6003.4015	Ø 4.0 mm X 15 cm
6003.4020	Ø 4.0 mm X 20 cm
6003.4025	Ø 4.0 mm X 25 cm
6003.4030	Ø 4.0 mm X 30 cm
6003.4035	Ø 4.0 mm X 35 cm
6003.5015	Ø 5.0 mm X 15 cm
6003.5020	Ø 5.0 mm X 20 cm
6003.5025	Ø 5.0 mm X 25 cm
6003.5030	Ø 5.0 mm X 30 cm
6003.5035	Ø 5.0 mm X 35 cm
6003.6015	Ø 6.0 mm X 15 cm
6003.6020	Ø 6.0 mm X 20 cm
6003.6025	Ø 6.0 mm X 25 cm
6003.6030	Ø 6.0 mm X 30 cm
6003.6035	Ø 6.0 mm X 35 cm



Harvesting Cannulas



Tonnard Harvester

A unique and effective multiport harvester with elevated sharp microports, very effective for harvesting through fibrous tissue. The 12 or 20 port-configuration allows for efficient harvesting both on the forward and backward strokes.

Luer lock

1004.1507	Ø 1.5 mm X 7 cm
1004.1509	Ø 1.5 mm X 9 cm
1004.1510	Ø 1.5 mm X 10 cm
1004.1512	Ø 1.5 mm X 12 cm
1004.2010	Ø 2.0 mm X 10 cm
1004.2012	Ø 2.0 mm X 12 cm
1004.2015	Ø 2.0 mm X 15 cm
1004.2020	Ø 2.0 mm X 20 cm
1004.2515	Ø 2.5 mm X 15 cm
1004.2520	Ø 2.5 mm X 20 cm
1004.2525	Ø 2.5 mm X 25 cm
1004.3015	Ø 3.0 mm X 15 cm
1004.3020	Ø 3.0 mm X 20 cm
1004.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2004.1507	Ø 1.5 mm X 7 cm
2004.1509	Ø 1.5 mm X 9 cm
2004.1510	Ø 1.5 mm X 10 cm
2004.1512	Ø 1.5 mm X 12 cm
2004.2010	Ø 2.0 mm X 10 cm
2004.2012	Ø 2.0 mm X 12 cm
2004.2015	Ø 2.0 mm X 15 cm
2004.2020	Ø 2.0 mm X 20 cm
2004.2515	Ø 2.5 mm X 15 cm
2004.2520	Ø 2.5 mm X 20 cm
2004.2525	Ø 2.5 mm X 25 cm
2004.3015	Ø 3.0 mm X 15 cm
2004.3020	Ø 3.0 mm X 20 cm
2004.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3004.1507	Ø 1.5 mm X 7 cm
3004.1509	Ø 1.5 mm X 9 cm
3004.1510	Ø 1.5 mm X 10 cm
3004.1512	Ø 1.5 mm X 12 cm
3004.2010	Ø 2.0 mm X 10 cm
3004.2012	Ø 2.0 mm X 12 cm
3004.2015	Ø 2.0 mm X 15 cm
3004.2020	Ø 2.0 mm X 20 cm
3004.2515	Ø 2.5 mm X 15 cm
3004.2520	Ø 2.5 mm X 20 cm
3004.2525	Ø 2.5 mm X 25 cm
3004.3015	Ø 3.0 mm X 15 cm
3004.3020	Ø 3.0 mm X 20 cm
3004.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4004.2015	Ø 2.0 mm X 15 cm
4004.3015	Ø 3.0 mm X 15 cm
4004.3020	Ø 3.0 mm X 20 cm
4004.3025	Ø 3.0 mm X 25 cm
4004.3030	Ø 3.0 mm X 30 cm
4004.4020	Ø 4.0 mm X 20 cm
4004.4025	Ø 4.0 mm X 25 cm
4004.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5010.2015	Ø 2.0 mm X 15 cm
5010.3015	Ø 3.0 mm X 15 cm
5010.3020	Ø 3.0 mm X 20 cm
5010.3025	Ø 3.0 mm X 25 cm
5010.3030	Ø 3.0 mm X 30 cm
5010.4020	Ø 4.0 mm X 20 cm
5010.4025	Ø 4.0 mm X 25 cm
5010.4030	Ø 4.0 mm X 30 cm

Power Cannula

6004.2015	Ø 2.0 mm X 15 cm
6004.2020	Ø 2.0 mm X 20 cm
6004.2025	Ø 2.0 mm X 25 cm
6004.2030	Ø 2.0 mm X 30 cm
6004.2035	Ø 2.0 mm X 35 cm
6004.3015	Ø 3.0 mm X 15 cm
6004.3020	Ø 3.0 mm X 20 cm
6004.3025	Ø 3.0 mm X 25 cm
6004.3030	Ø 3.0 mm X 30 cm
6004.3035	Ø 3.0 mm X 35 cm
6004.4015	Ø 4.0 mm X 15 cm
6004.4020	Ø 4.0 mm X 20 cm
6004.4025	Ø 4.0 mm X 25 cm
6004.4030	Ø 4.0 mm X 30 cm
6004.4035	Ø 4.0 mm X 35 cm
6004.5015	Ø 5.0 mm X 15 cm
6004.5020	Ø 5.0 mm X 20 cm
6004.5025	Ø 5.0 mm X 25 cm
6004.5030	Ø 5.0 mm X 30 cm
6004.5035	Ø 5.0 mm X 35 cm
6004.6015	Ø 6.0 mm X 15 cm
6004.6020	Ø 6.0 mm X 20 cm
6004.6025	Ø 6.0 mm X 25 cm
6004.6030	Ø 6.0 mm X 30 cm
6004.6035	Ø 6.0 mm X 35 cm

Harvesting Cannulas



**International
Tulip Medical**



Sorensen Harvester

A less aggressive multiport harvester with beveled microports. the 12 or 20 port-configured harvesters allow gentle, yet very efficient harvesting both on the forward and backward strokes.

Luer lock

1005.1507	Ø 1.5 mm X 7 cm
1005.1509	Ø 1.5 mm X 9 cm
1005.1510	Ø 1.5 mm X 10 cm
1005.1512	Ø 1.5 mm X 12 cm
1005.2010	Ø 2.0 mm X 10 cm
1005.2012	Ø 2.0 mm X 12 cm
1005.2015	Ø 2.0 mm X 15 cm
1005.2020	Ø 2.0 mm X 20 cm
1005.2515	Ø 2.5 mm X 15 cm
1005.2520	Ø 2.5 mm X 20 cm
1005.2525	Ø 2.5 mm X 25 cm
1005.3015	Ø 3.0 mm X 15 cm
1005.3020	Ø 3.0 mm X 20 cm
1005.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2005.1507	Ø 1.5 mm X 7 cm
2005.1509	Ø 1.5 mm X 9 cm
2005.1510	Ø 1.5 mm X 10 cm
2005.1512	Ø 1.5 mm X 12 cm
2005.2010	Ø 2.0 mm X 10 cm
2005.2012	Ø 2.0 mm X 12 cm
2005.2015	Ø 2.0 mm X 15 cm
2005.2020	Ø 2.0 mm X 20 cm
2005.2515	Ø 2.5 mm X 15 cm
2005.2520	Ø 2.5 mm X 20 cm
2005.2525	Ø 2.5 mm X 25 cm
2005.3015	Ø 3.0 mm X 15 cm
2005.3020	Ø 3.0 mm X 20 cm
2005.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3005.1507	Ø 1.5 mm X 7 cm
3005.1509	Ø 1.5 mm X 9 cm
3005.1510	Ø 1.5 mm X 10 cm
3005.1512	Ø 1.5 mm X 12 cm
3005.2010	Ø 2.0 mm X 10 cm
3005.2012	Ø 2.0 mm X 12 cm
3005.2015	Ø 2.0 mm X 15 cm
3005.2020	Ø 2.0 mm X 20 cm
3005.2515	Ø 2.5 mm X 15 cm
3005.2520	Ø 2.5 mm X 20 cm
3005.2525	Ø 2.5 mm X 25 cm
3005.3015	Ø 3.0 mm X 15 cm
3005.3020	Ø 3.0 mm X 20 cm
3005.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4005.2015	Ø 2.0 mm X 15 cm
4005.3015	Ø 3.0 mm X 15 cm
4005.3020	Ø 3.0 mm X 20 cm
4005.3025	Ø 3.0 mm X 25 cm
4005.3030	Ø 3.0 mm X 30 cm
4005.4020	Ø 4.0 mm X 20 cm
4005.4025	Ø 4.0 mm X 25 cm
4005.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5005.2015	Ø 2.0 mm X 15 cm
5005.3015	Ø 3.0 mm X 15 cm
5005.3020	Ø 3.0 mm X 20 cm
5005.3025	Ø 3.0 mm X 25 cm
5005.3030	Ø 3.0 mm X 30 cm
5005.4020	Ø 4.0 mm X 20 cm
5005.4025	Ø 4.0 mm X 25 cm
5005.4030	Ø 4.0 mm X 30 cm

Power Cannula

6005.2015	Ø 2.0 mm X 15 cm
6005.2020	Ø 2.0 mm X 20 cm
6005.2025	Ø 2.0 mm X 25 cm
6005.2030	Ø 2.0 mm X 30 cm
6005.2035	Ø 2.0 mm X 35 cm
6005.3015	Ø 3.0 mm X 15 cm
6005.3020	Ø 3.0 mm X 20 cm
6005.3025	Ø 3.0 mm X 25 cm
6005.3030	Ø 3.0 mm X 30 cm
6005.3035	Ø 3.0 mm X 35 cm
6005.4015	Ø 4.0 mm X 15 cm
6005.4020	Ø 4.0 mm X 20 cm
6005.4025	Ø 4.0 mm X 25 cm
6005.4030	Ø 4.0 mm X 30 cm
6005.4035	Ø 4.0 mm X 35 cm
6005.5015	Ø 5.0 mm X 15 cm
6005.5020	Ø 5.0 mm X 20 cm
6005.5025	Ø 5.0 mm X 25 cm
6005.5030	Ø 5.0 mm X 30 cm
6005.5035	Ø 5.0 mm X 35 cm
6005.6015	Ø 6.0 mm X 15 cm
6005.6020	Ø 6.0 mm X 20 cm
6005.6025	Ø 6.0 mm X 25 cm
6005.6030	Ø 6.0 mm X 30 cm
6005.6035	Ø 6.0 mm X 35 cm



Harvesting Cannulas



Sforza Harvester

A microport harvester designed for speed. Fully equipped with bidirectional beveled and elevated sharp ports positioned asymmetrically to create a helical flux.

Luer lock

1006.1507	Ø 1.5 mm X 7 cm
1006.1509	Ø 1.5 mm X 9 cm
1006.1510	Ø 1.5 mm X 10 cm
1006.1512	Ø 1.5 mm X 12 cm
1006.2010	Ø 2.0 mm X 10 cm
1006.2012	Ø 2.0 mm X 12 cm
1006.2015	Ø 2.0 mm X 15 cm
1006.2020	Ø 2.0 mm X 20 cm
1006.2515	Ø 2.5 mm X 15 cm
1006.2520	Ø 2.5 mm X 20 cm
1006.2525	Ø 2.5 mm X 25 cm
1006.3015	Ø 3.0 mm X 15 cm
1006.3020	Ø 3.0 mm X 20 cm
1006.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2006.1507	Ø 1.5 mm X 7 cm
2006.1509	Ø 1.5 mm X 9 cm
2006.1510	Ø 1.5 mm X 10 cm
2006.1512	Ø 1.5 mm X 12 cm
2006.2010	Ø 2.0 mm X 10 cm
2006.2012	Ø 2.0 mm X 12 cm
2006.2015	Ø 2.0 mm X 15 cm
2006.2020	Ø 2.0 mm X 20 cm
2006.2515	Ø 2.5 mm X 15 cm
2006.2520	Ø 2.5 mm X 20 cm
2006.2525	Ø 2.5 mm X 25 cm
2006.3015	Ø 3.0 mm X 15 cm
2006.3020	Ø 3.0 mm X 20 cm
2006.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3006.1507	Ø 1.5 mm X 7 cm
3006.1509	Ø 1.5 mm X 9 cm
3006.1510	Ø 1.5 mm X 10 cm
3006.1512	Ø 1.5 mm X 12 cm
3006.2010	Ø 2.0 mm X 10 cm
3006.2012	Ø 2.0 mm X 12 cm
3006.2015	Ø 2.0 mm X 15 cm
3006.2020	Ø 2.0 mm X 20 cm
3006.2515	Ø 2.5 mm X 15 cm
3006.2520	Ø 2.5 mm X 20 cm
3006.2525	Ø 2.5 mm X 25 cm
3006.3015	Ø 3.0 mm X 15 cm
3006.3020	Ø 3.0 mm X 20 cm
3006.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4006.2015	Ø 2.0 mm X 15 cm
4006.3015	Ø 3.0 mm X 15 cm
4006.3020	Ø 3.0 mm X 20 cm
4006.3025	Ø 3.0 mm X 25 cm
4006.3030	Ø 3.0 mm X 30 cm
4006.4020	Ø 4.0 mm X 20 cm
4006.4025	Ø 4.0 mm X 25 cm
4006.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5010.2015	Ø 2.0 mm X 15 cm
5010.3015	Ø 3.0 mm X 15 cm
5010.3020	Ø 3.0 mm X 20 cm
5010.3025	Ø 3.0 mm X 25 cm
5010.3030	Ø 3.0 mm X 30 cm
5010.4020	Ø 4.0 mm X 20 cm
5010.4025	Ø 4.0 mm X 25 cm
5010.4030	Ø 4.0 mm X 30 cm

Power Cannula

6014.2015	Ø 2.0 mm X 15 cm
6014.2020	Ø 2.0 mm X 20 cm
6014.2025	Ø 2.0 mm X 25 cm
6014.2030	Ø 2.0 mm X 30 cm
6014.2035	Ø 2.0 mm X 35 cm
6014.3015	Ø 3.0 mm X 15 cm
6014.3020	Ø 3.0 mm X 20 cm
6014.3025	Ø 3.0 mm X 25 cm
6014.3030	Ø 3.0 mm X 30 cm
6014.3035	Ø 3.0 mm X 35 cm
6014.4015	Ø 4.0 mm X 15 cm
6014.4020	Ø 4.0 mm X 20 cm
6014.4025	Ø 4.0 mm X 25 cm
6014.4030	Ø 4.0 mm X 30 cm
6014.4035	Ø 4.0 mm X 35 cm
6014.5015	Ø 5.0 mm X 15 cm
6014.5020	Ø 5.0 mm X 20 cm
6014.5025	Ø 5.0 mm X 25 cm
6014.5030	Ø 5.0 mm X 30 cm
6014.5035	Ø 5.0 mm X 35 cm
6014.6015	Ø 6.0 mm X 15 cm
6014.6020	Ø 6.0 mm X 20 cm
6014.6025	Ø 6.0 mm X 25 cm
6014.6030	Ø 6.0 mm X 30 cm
6014.6035	Ø 6.0 mm X 35 cm



Goisis Harvester

A sophisticated, precision-designed cannula for rotational harvesting (with the twist of the wrist). The spiral configuration of the six beveled edge ports is less traumatic and delivers a fine-grained, high fat content/purity yield that can easily pass through 1.2mm, 0.9mm and 0.7mm Micro Injectors.

Super Luer lock

3007.2010

Ø 2.0 mm X 10 cm



Trivisonno Micro Harvester

Specifically designed for selective and safe removal of the SVF-rich superficial fat layer in contact with the deep dermis.

Super Luer lock

3008.2010

Ø 2.0 mm X 10 cm



Speciality Cannulas



Schwarz Facelift Infiltrator

Docotr to reduce bleeding dissection time through hydraulic

Luer lock

1007.2015 Ø 2.0 mm X 15 cm

Super Luer lock

3007.2015 Ø 2.0 mm X 15 cm



Bensimon Micro Sculptor

Introducing the Bensimon Micro Sculptor. Designed by Dr. Richard Bensimon, this modification of the Tonnard harvester is ideal for facial liposuction and inducing skin contraction. The small holes ensure a smooth contour and the small diameter enables entry with a needle puncture leaving no mark. This allows for multiple entries for precise contouring of the neck and gynecomastia.

Luer lock

1009.2010 Ø 2.0 mm X 10 cm
 1009.2012 Ø 2.0 mm X 12 cm
 1009.2015 Ø 2.0 mm X 15 cm
 1009.2020 Ø 2.0 mm X 20 cm

Super Luer lock

3009.2010 Ø 2.0 mm X 10 cm
 3009.2012 Ø 2.0 mm X 12 cm
 3009.2015 Ø 2.0 mm X 15 cm
 3009.2020 Ø 2.0 mm X 20 cm

Luer lock (Stainless Steel)

2009.2010 Ø 2.0 mm X 10 cm
 2009.2012 Ø 2.0 mm X 12 cm
 2009.2015 Ø 2.0 mm X 15 cm
 2009.2020 Ø 2.0 mm X 20 cm

Speciality Cannulas



**International
Tulip Medical**



Flap

The Flap is primarily used as an undermining dissector, followed by harvesting and/or injection.

Luer lock

1010.2010	Ø 2.0 mm X 10 cm
1010.2012	Ø 2.0 mm X 12 cm
1010.2015	Ø 2.0 mm X 15 cm
1010.2020	Ø 2.0 mm X 20 cm
1010.2515	Ø 2.5 mm X 15 cm
1010.2520	Ø 2.5 mm X 20 cm
1010.2525	Ø 2.5 mm X 25 cm
1010.3015	Ø 3.0 mm X 15 cm
1010.3020	Ø 3.0 mm X 20 cm
1010.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3010.2010	Ø 2.0 mm X 10 cm
3010.2012	Ø 2.0 mm X 12 cm
3010.2015	Ø 2.0 mm X 15 cm
3010.2020	Ø 2.0 mm X 20 cm
3010.2515	Ø 2.5 mm X 15 cm
3010.2520	Ø 2.5 mm X 20 cm
3010.2525	Ø 2.5 mm X 25 cm
3010.3015	Ø 3.0 mm X 15 cm
3010.3020	Ø 3.0 mm X 20 cm
3010.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2010.2010	Ø 2.0 mm X 10 cm
2010.2012	Ø 2.0 mm X 12 cm
2010.2015	Ø 2.0 mm X 15 cm
2010.2020	Ø 2.0 mm X 20 cm
2010.2515	Ø 2.5 mm X 15 cm
2010.2520	Ø 2.5 mm X 20 cm
2010.2525	Ø 2.5 mm X 25 cm
2010.3015	Ø 3.0 mm X 15 cm
2010.3020	Ø 3.0 mm X 20 cm
2010.3025	Ø 3.0 mm X 25 cm

60cc Tommey Hub

5010.2015	Ø 2.0 mm X 15 cm
5010.3015	Ø 3.0 mm X 15 cm
5010.3020	Ø 3.0 mm X 20 cm
5010.3025	Ø 3.0 mm X 25 cm
5010.3030	Ø 3.0 mm X 30 cm



Toledo V-Dissector

This cannula is specifically designed for use in the superficial compartment. The cutting notch is very useful for releasing dense fibrous tissue. Such as acne scars and nasolabial folds

Luer lock

1011.2010	Ø 2.0 mm X 10 cm
1011.2012	Ø 2.0 mm X 12 cm
1011.2015	Ø 2.0 mm X 15 cm
1011.2020	Ø 2.0 mm X 20 cm
1011.2515	Ø 2.5 mm X 15 cm
1011.2520	Ø 2.5 mm X 20 cm
1011.2525	Ø 2.5 mm X 25 cm
1011.3015	Ø 3.0 mm X 15 cm
1011.3020	Ø 3.0 mm X 20 cm
1011.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3011.2010	Ø 2.0 mm X 10 cm
3011.2012	Ø 2.0 mm X 12 cm
3011.2015	Ø 2.0 mm X 15 cm
3011.2020	Ø 2.0 mm X 20 cm
3011.2515	Ø 2.5 mm X 15 cm
3011.2520	Ø 2.5 mm X 20 cm
3011.2525	Ø 2.5 mm X 25 cm
3011.3015	Ø 3.0 mm X 15 cm
3011.3020	Ø 3.0 mm X 20 cm
3011.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2011.2010	Ø 2.0 mm X 10 cm
2011.2012	Ø 2.0 mm X 12 cm
2011.2015	Ø 2.0 mm X 15 cm
2011.2020	Ø 2.0 mm X 20 cm
2011.2515	Ø 2.5 mm X 15 cm
2011.2520	Ø 2.5 mm X 20 cm
2011.2525	Ø 2.5 mm X 25 cm
2011.3015	Ø 3.0 mm X 15 cm
2011.3020	Ø 3.0 mm X 20 cm
2011.3025	Ø 3.0 mm X 25 cm

60cc Tommey Hub

5011.2015	Ø 2.0 mm X 15 cm
5011.3015	Ø 3.0 mm X 15 cm
5011.3020	Ø 3.0 mm X 20 cm
5011.3025	Ø 3.0 mm X 25 cm
5011.3030	Ø 3.0 mm X 30 cm



Portless V-Dissector

Portless V-Dissector is a specialized tool that is designed to prepare dense and fibrous tissue for tissue extraction and injection. The unique cutting notch is very useful for undermining in areas where the tissue must be dissected such as nasolabial folds, acne scarring, stretch marks, and other fibrous deposits. 9cm in length.

V-Dissector

7001.1609 1.6mm x 9 cm



Pocar

The Pocar is a percutaneous punch that is used to make a circumferential incision prior to infiltration and tissue extraction. It is designed to maintain a tight seal while minimizing scarring.

Pocar

8001.0030 3mm Small
 8001.0046 4.6mm Large

General Suction Cannulas



**International
Tulip Medical**



Stevens Speed Cannula

A cannula developed by world-renowned Netherlands surgeon, Jeroen Stevens. The Stevens Speed Cannula is an advanced rapid liposculpture cannula designed for quick and effective liposuction

Luer lock

1012.3015	Ø 3.0 mm X 15 cm
1012.3020	Ø 3.0 mm X 20 cm
1012.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3012.3015	Ø 3.0 mm X 15 cm
3012.3020	Ø 3.0 mm X 20 cm
3012.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2012.3015	Ø 3.0 mm X 15 cm
2012.3020	Ø 3.0 mm X 20 cm
2012.3025	Ø 3.0 mm X 25 cm

60cc Tommey Hub

5012.3015	Ø 3.0 mm X 15 cm
5012.3020	Ø 3.0 mm X 20 cm
5012.3025	Ø 3.0 mm X 25 cm
5012.3515	Ø 3.5 mm X 15 cm
5012.3520	Ø 3.5 mm X 20 cm
5012.3525	Ø 3.5 mm X 25 cm



Cobra Bibevel

The two port, tapered tip cannula is very effective when working through very dense tissue, more aggressive than the Standard, Pyramid, and Mercedes

Luer lock

1013.2010	Ø 2.0 mm X 10 cm
1013.2012	Ø 2.0 mm X 12 cm
1013.2015	Ø 2.0 mm X 15 cm
1013.2020	Ø 2.0 mm X 20 cm
1013.2515	Ø 2.5 mm X 15 cm
1013.2520	Ø 2.5 mm X 20 cm
1013.2525	Ø 2.5 mm X 25 cm
1013.3015	Ø 3.0 mm X 15 cm
1013.3020	Ø 3.0 mm X 20 cm
1013.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3013.2010	Ø 2.0 mm X 10 cm
3013.2012	Ø 2.0 mm X 12 cm
3013.2015	Ø 2.0 mm X 15 cm
3013.2020	Ø 2.0 mm X 20 cm
3013.2515	Ø 2.5 mm X 15 cm
3013.2520	Ø 2.5 mm X 20 cm
3013.2525	Ø 2.5 mm X 25 cm
3013.3015	Ø 3.0 mm X 15 cm
3013.3020	Ø 3.0 mm X 20 cm
3013.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2013.2010	Ø 2.0 mm X 10 cm
2013.2012	Ø 2.0 mm X 12 cm
2013.2015	Ø 2.0 mm X 15 cm
2013.2020	Ø 2.0 mm X 20 cm
2013.2515	Ø 2.5 mm X 15 cm
2013.2520	Ø 2.5 mm X 20 cm
2013.2525	Ø 2.5 mm X 25 cm
2013.3015	Ø 3.0 mm X 15 cm
2013.3020	Ø 3.0 mm X 20 cm
2013.3025	Ø 3.0 mm X 25 cm

60cc Tommey Hub

5013.2015	Ø 2.0 mm X 15 cm
5013.3015	Ø 3.0 mm X 15 cm
5013.3020	Ø 3.0 mm X 20 cm
5013.3025	Ø 3.0 mm X 25 cm
5013.3030	Ø 3.0 mm X 30 cm
5013.4020	Ø 4.0 mm X 20 cm
5013.4025	Ø 4.0 mm X 25 cm
5013.4030	Ø 4.0 mm X 30 cm



General Suction Cannulas



Standard

This is the most common cell friendly cannula design for soft tissue removal. The single port is located 180 degrees from the thumb rest on the hub

Luer lock

1014.2010	Ø 2.0 mm X 10 cm
1014.2012	Ø 2.0 mm X 12 cm
1014.2015	Ø 2.0 mm X 15 cm
1014.2020	Ø 2.0 mm X 20 cm
1014.2515	Ø 2.5 mm X 15 cm
1014.2520	Ø 2.5 mm X 20 cm
1014.2525	Ø 2.5 mm X 25 cm
1014.3015	Ø 3.0 mm X 15 cm
1014.3020	Ø 3.0 mm X 20 cm
1014.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2016.2010	Ø 2.0 mm X 10 cm
2016.2012	Ø 2.0 mm X 12 cm
2016.2015	Ø 2.0 mm X 15 cm
2016.2020	Ø 2.0 mm X 20 cm
2016.2515	Ø 2.5 mm X 15 cm
2016.2520	Ø 2.5 mm X 20 cm
2016.2525	Ø 2.5 mm X 25 cm
2016.3015	Ø 3.0 mm X 15 cm
2016.3020	Ø 3.0 mm X 20 cm
2016.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3015.2010	Ø 2.0 mm X 10 cm
3015.2012	Ø 2.0 mm X 12 cm
3015.2015	Ø 2.0 mm X 15 cm
3015.2020	Ø 2.0 mm X 20 cm
3015.2515	Ø 2.5 mm X 15 cm
3015.2520	Ø 2.5 mm X 20 cm
3015.2525	Ø 2.5 mm X 25 cm
3015.3015	Ø 3.0 mm X 15 cm
3015.3020	Ø 3.0 mm X 20 cm
3015.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4016.2015	Ø 2.0 mm X 15 cm
4016.3015	Ø 3.0 mm X 15 cm
4016.3020	Ø 3.0 mm X 20 cm
4016.3025	Ø 3.0 mm X 25 cm
4016.3030	Ø 3.0 mm X 30 cm
4016.4020	Ø 4.0 mm X 20 cm
4016.4025	Ø 4.0 mm X 25 cm
4016.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5016.2015	Ø 2.0 mm X 15 cm
5016.3015	Ø 3.0 mm X 15 cm
5016.3020	Ø 3.0 mm X 20 cm
5016.3025	Ø 3.0 mm X 25 cm
5016.3030	Ø 3.0 mm X 30 cm
5016.4020	Ø 4.0 mm X 20 cm
5016.4025	Ø 4.0 mm X 25 cm
5016.4030	Ø 4.0 mm X 30 cm

Power Cannula

6014.2015	Ø 2.0 mm X 15 cm
6014.2020	Ø 2.0 mm X 20 cm
6014.2025	Ø 2.0 mm X 25 cm
6014.2030	Ø 2.0 mm X 30 cm
6014.2035	Ø 2.0 mm X 35 cm
6014.3015	Ø 3.0 mm X 15 cm
6014.3020	Ø 3.0 mm X 20 cm
6014.3025	Ø 3.0 mm X 25 cm
6014.3030	Ø 3.0 mm X 30 cm
6014.3035	Ø 3.0 mm X 35 cm
6014.4015	Ø 4.0 mm X 15 cm
6014.4020	Ø 4.0 mm X 20 cm
6014.4025	Ø 4.0 mm X 25 cm
6014.4030	Ø 4.0 mm X 30 cm
6014.4035	Ø 4.0 mm X 35 cm
6014.5015	Ø 5.0 mm X 15 cm
6014.5020	Ø 5.0 mm X 20 cm
6014.5025	Ø 5.0 mm X 25 cm
6014.5030	Ø 5.0 mm X 30 cm
6014.5035	Ø 5.0 mm X 35 cm
6014.6015	Ø 6.0 mm X 15 cm
6014.6020	Ø 6.0 mm X 20 cm
6014.6025	Ø 6.0 mm X 25 cm
6014.6030	Ø 6.0 mm X 30 cm
6014.6035	Ø 6.0 mm X 35 cm

General Suction Cannulas



**International
Tulip Medical**



Pyramid

This commonly used design has three ports located 180 degrees from the thumb print. It is a slightly more aggressive cannula than the Standard during liposuction procedures.

Luer lock

1015.2010	Ø 2.0 mm X 10 cm
1015.2012	Ø 2.0 mm X 12 cm
1015.2015	Ø 2.0 mm X 15 cm
1015.2020	Ø 2.0 mm X 20 cm
1015.2515	Ø 2.5 mm X 15 cm
1015.2520	Ø 2.5 mm X 20 cm
1015.2525	Ø 2.5 mm X 25 cm
1015.3015	Ø 3.0 mm X 15 cm
1015.3020	Ø 3.0 mm X 20 cm
1015.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2015.2010	Ø 2.0 mm X 10 cm
2015.2012	Ø 2.0 mm X 12 cm
2015.2015	Ø 2.0 mm X 15 cm
2015.2020	Ø 2.0 mm X 20 cm
2015.2515	Ø 2.5 mm X 15 cm
2015.2520	Ø 2.5 mm X 20 cm
2015.2525	Ø 2.5 mm X 25 cm
2015.3015	Ø 3.0 mm X 15 cm
2015.3020	Ø 3.0 mm X 20 cm
2015.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3015.2010	Ø 2.0 mm X 10 cm
3015.2012	Ø 2.0 mm X 12 cm
3015.2015	Ø 2.0 mm X 15 cm
3015.2020	Ø 2.0 mm X 20 cm
3015.2515	Ø 2.5 mm X 15 cm
3015.2520	Ø 2.5 mm X 20 cm
3015.2525	Ø 2.5 mm X 25 cm
3015.3015	Ø 3.0 mm X 15 cm
3015.3020	Ø 3.0 mm X 20 cm
3015.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4015.2015	Ø 2.0 mm X 15 cm
4015.3015	Ø 3.0 mm X 15 cm
4015.3020	Ø 3.0 mm X 20 cm
4015.3025	Ø 3.0 mm X 25 cm
4015.3030	Ø 3.0 mm X 30 cm
4015.4020	Ø 4.0 mm X 20 cm
4015.4025	Ø 4.0 mm X 25 cm
4015.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5015.2015	Ø 2.0 mm X 15 cm
5015.3015	Ø 3.0 mm X 15 cm
5015.3020	Ø 3.0 mm X 20 cm
5015.3025	Ø 3.0 mm X 25 cm
5015.3030	Ø 3.0 mm X 30 cm
5015.4020	Ø 4.0 mm X 20 cm
5015.4025	Ø 4.0 mm X 25 cm
5015.4030	Ø 4.0 mm X 30 cm

Power Cannula

6015.2015	Ø 2.0 mm X 15 cm
6015.2020	Ø 2.0 mm X 20 cm
6015.2025	Ø 2.0 mm X 25 cm
6015.2030	Ø 2.0 mm X 30 cm
6015.2035	Ø 2.0 mm X 35 cm
6015.3015	Ø 3.0 mm X 15 cm
6015.3020	Ø 3.0 mm X 20 cm
6015.3025	Ø 3.0 mm X 25 cm
6015.3030	Ø 3.0 mm X 30 cm
6015.3035	Ø 3.0 mm X 35 cm
6015.4015	Ø 4.0 mm X 15 cm
6015.4020	Ø 4.0 mm X 20 cm
6015.4025	Ø 4.0 mm X 25 cm
6015.4030	Ø 4.0 mm X 30 cm
6015.4035	Ø 4.0 mm X 35 cm
6015.5015	Ø 5.0 mm X 15 cm
6015.5020	Ø 5.0 mm X 20 cm
6015.5025	Ø 5.0 mm X 25 cm
6015.5030	Ø 5.0 mm X 30 cm
6015.5035	Ø 5.0 mm X 35 cm
6015.6015	Ø 6.0 mm X 15 cm
6015.6020	Ø 6.0 mm X 20 cm
6015.6025	Ø 6.0 mm X 25 cm
6015.6030	Ø 6.0 mm X 30 cm
6015.6035	Ø 6.0 mm X 35 cm



General Suction Cannulas



Mercedes

This circumferential three port configuration cell friendly liposuction cannula is effective for multi-plane soft tissue harvesting.

Luer lock

1016.2010	Ø 2.0 mm X 10 cm
1016.2012	Ø 2.0 mm X 12 cm
1016.2015	Ø 2.0 mm X 15 cm
1016.2020	Ø 2.0 mm X 20 cm
1016.2515	Ø 2.5 mm X 15 cm
1016.2520	Ø 2.5 mm X 20 cm
1016.2525	Ø 2.5 mm X 25 cm
1016.3015	Ø 3.0 mm X 15 cm
1016.3020	Ø 3.0 mm X 20 cm
1016.3025	Ø 3.0 mm X 25 cm

Luer lock (Stainless Steel)

2016.2010	Ø 2.0 mm X 10 cm
2016.2012	Ø 2.0 mm X 12 cm
2016.2015	Ø 2.0 mm X 15 cm
2016.2020	Ø 2.0 mm X 20 cm
2016.2515	Ø 2.5 mm X 15 cm
2016.2520	Ø 2.5 mm X 20 cm
2016.2525	Ø 2.5 mm X 25 cm
2016.3015	Ø 3.0 mm X 15 cm
2016.3020	Ø 3.0 mm X 20 cm
2016.3025	Ø 3.0 mm X 25 cm

Super Luer lock

3015.2010	Ø 2.0 mm X 10 cm
3015.2012	Ø 2.0 mm X 12 cm
3015.2015	Ø 2.0 mm X 15 cm
3015.2020	Ø 2.0 mm X 20 cm
3015.2515	Ø 2.5 mm X 15 cm
3015.2520	Ø 2.5 mm X 20 cm
3015.2525	Ø 2.5 mm X 25 cm
3015.3015	Ø 3.0 mm X 15 cm
3015.3020	Ø 3.0 mm X 20 cm
3015.3025	Ø 3.0 mm X 25 cm

Treaded Hub

4016.2015	Ø 2.0 mm X 15 cm
4016.3015	Ø 3.0 mm X 15 cm
4016.3020	Ø 3.0 mm X 20 cm
4016.3025	Ø 3.0 mm X 25 cm
4016.3030	Ø 3.0 mm X 30 cm
4016.4020	Ø 4.0 mm X 20 cm
4016.4025	Ø 4.0 mm X 25 cm
4016.4030	Ø 4.0 mm X 30 cm

60cc Tommey Hub

5016.2015	Ø 2.0 mm X 15 cm
5016.3015	Ø 3.0 mm X 15 cm
5016.3020	Ø 3.0 mm X 20 cm
5016.3025	Ø 3.0 mm X 25 cm
5016.3030	Ø 3.0 mm X 30 cm
5016.4020	Ø 4.0 mm X 20 cm
5016.4025	Ø 4.0 mm X 25 cm
5016.4030	Ø 4.0 mm X 30 cm

Power Cannula

6016.2015	Ø 2.0 mm X 15 cm
6016.2020	Ø 2.0 mm X 20 cm
6016.2025	Ø 2.0 mm X 25 cm
6016.2030	Ø 2.0 mm X 30 cm
6016.2035	Ø 2.0 mm X 35 cm
6016.3015	Ø 3.0 mm X 15 cm
6016.3020	Ø 3.0 mm X 20 cm
6016.3025	Ø 3.0 mm X 25 cm
6016.3030	Ø 3.0 mm X 30 cm
6016.3035	Ø 3.0 mm X 35 cm
6016.4015	Ø 4.0 mm X 15 cm
6016.4020	Ø 4.0 mm X 20 cm
6016.4025	Ø 4.0 mm X 25 cm
6016.4030	Ø 4.0 mm X 30 cm
6016.4035	Ø 4.0 mm X 35 cm
6016.5015	Ø 5.0 mm X 15 cm
6016.5020	Ø 5.0 mm X 20 cm
6016.5025	Ø 5.0 mm X 25 cm
6016.5030	Ø 5.0 mm X 30 cm
6016.5035	Ø 5.0 mm X 35 cm
6016.6015	Ø 6.0 mm X 15 cm
6016.6020	Ø 6.0 mm X 20 cm
6016.6025	Ø 6.0 mm X 25 cm
6016.6030	Ø 6.0 mm X 30 cm
6016.6035	Ø 6.0 mm X 35 cm



International Tulip Injector

Featuring Tulip Medical's side port blunt tip design that passes through soft tissue effortlessly, while maintaining the integrity of the vascular structure.

Luer lock

1017.0704	Ø 0.7 mm X 4 cm	
1017.0905	Ø 0.9 mm X 5 cm	
1017.1207	Ø 1.2 mm X 7 cm	
1017.1415	Ø 1.4 mm X 15 cm	Curved
1017.1420	Ø 1.4 mm X 20 cm	Curved
1017.1615	Ø 1.6 mm X 15 cm	Curved
1017.1620	Ø 1.6 mm X 20 cm	Curved

Super Luer lock

3017.0704	Ø 0.7 mm X 4 cm	
3017.0905	Ø 0.9 mm X 5 cm	
3017.1207	Ø 1.2 mm X 7 cm	
3017.1415	Ø 1.4 mm X 15 cm	Curved
3017.1420	Ø 1.4 mm X 20 cm	Curved
3017.1615	Ø 1.6 mm X 15 cm	Curved
3017.1620	Ø 1.6 mm X 20 cm	Curved

Luer lock (Stainless Steel)

2017.0704	Ø 0.7 mm X 4 cm	
2017.0905	Ø 0.9 mm X 5 cm	
2017.1207	Ø 1.2 mm X 7 cm	
2017.1415	Ø 1.4 mm X 15 cm	Curved
2017.1420	Ø 1.4 mm X 20 cm	Curved
2017.1615	Ø 1.6 mm X 15 cm	Curved
2017.1620	Ø 1.6 mm X 20 cm	Curved



J.W. Little Injector

An innovative blunt design with one smaller round port size for precise delivery of microfat. This is especially useful in the periorbital region and the vermilion skin border of the lips.

Luer lock

1018.0704	Ø 0.7 mm X 4 cm
1018.0905	Ø 0.9 mm X 5 cm
1018.1207	Ø 1.2 mm X 7 cm

Super Luer lock

3018.0704	Ø 0.7 mm X 4 cm
3018.0905	Ø 0.9 mm X 5 cm
3018.1207	Ø 1.2 mm X 7 cm

Luer lock (Stainless Steel)

2018.0704	Ø 0.7 mm X 4 cm
2018.0905	Ø 0.9 mm X 5 cm
2018.1207	Ø 1.2 mm X 7 cm



Tonnard Superficial Injector

A blunt injector with 5 graduated ports in a spiral configuration designed for precise intradermal injection of microfat. The unique configuration allows a fan-shaped spread of droplets. Simply Innovative

Super Luer lock

3019.0704	Ø 0.7 mm X 5 cm
3019.0905	Ø 0.9 mm X 5 cm



General Suction Cannulas



Spoon Tip

A blunt spoon-shaped tip designed with a larger port for rapid injection of larger volumes, a groundbreaking breast and buttock workhorse
A workhorse for small volume injection

Luer lock

1020.1510	Ø 1.5 mm X 10 cm	
1020.1515	Ø 1.5 mm X 15 cm	
1020.2015	Ø 2.0 mm X 15 cm	
1020.2020	Ø 2.0 mm X 20 cm	
1020.2515	Ø 2.5 mm X 15 cm	
1020.2520	Ø 2.5 mm X 20 cm	
1020.3015	Ø 3.0 mm X 15 cm	
1020.3020	Ø 3.0 mm X 20 cm	
1020.3025	Ø 3.0 mm X 25 cm	
1020.1515	Ø 1.5 mm X 15 cm	Curved
1020.1520	Ø 1.5 mm X 20 cm	Curved

Super Luer lock

3020.1510	Ø 1.5 mm X 10 cm	
3020.1515	Ø 1.5 mm X 15 cm	
3020.2015	Ø 2.0 mm X 15 cm	
3020.2020	Ø 2.0 mm X 20 cm	
3020.2515	Ø 2.5 mm X 15 cm	
3020.2520	Ø 2.5 mm X 20 cm	
3020.3015	Ø 3.0 mm X 15 cm	
3020.3020	Ø 3.0 mm X 20 cm	
3020.3025	Ø 3.0 mm X 25 cm	
3020.1515	Ø 1.5 mm X 15 cm	Curved
3020.1520	Ø 1.5 mm X 20 cm	Curved

Luer lock (Stainless Steel)

2020.1510	Ø 1.5 mm X 10 cm	
2020.1515	Ø 1.5 mm X 15 cm	
2020.2015	Ø 2.0 mm X 15 cm	
2020.2020	Ø 2.0 mm X 20 cm	
2020.2515	Ø 2.5 mm X 15 cm	
2020.2520	Ø 2.5 mm X 20 cm	
2020.3015	Ø 3.0 mm X 15 cm	
2020.3020	Ø 3.0 mm X 20 cm	
2020.3025	Ø 3.0 mm X 25 cm	
2020.1515	Ø 1.5 mm X 15 cm	Curved
2020.1520	Ø 1.5 mm X 20 cm	Curved

60cc Tommey Hub

5020.2515	Ø 2.5 mm X 15 cm
5020.2520	Ø 2.5 mm X 20 cm
5020.3015	Ø 3.0 mm X 15 cm
5020.3020	Ø 3.0 mm X 20 cm
5020.3025	Ø 3.0 mm X 25 cm



Power Injector

The Power Injector allows the surgeon to re-inject soft tissue through large or small diameter injectors with very little effort and maximum control. The Universal Power Injector will hold a 10cc or a 20cc BD syringe or a BD syringe or 60cc Monoject syringe.

9001.0020	20cc
9001.0010	10cc
9001.0030	Universal (for both 20 and 10cc syringes)



Fat Syringe

The fat syringe is an ideal tool to help surgeons for manual liposuction by creating negative pressure.

9002.0050	50/60 cc
9002.0020	20 cc
9002.0010	10 cc
9002.0005	5 cc
9002.0003	3 cc



Syringes Accessories

SnapLoks

These syringe snap locks fit into the lunger flanges of the syringe. When the plunger is pulled out the lock snaps open on the barrel lip thus holding the syringe under vacuum.

- 9003.0060 60cc
- 9003.0050 50cc
- 9003.0035 35cc
- 9003.0020 20cc
- 9003.0010 10cc



Power Adaptor

The power Adaptor, modifies the cannula and the syringe for use with an aspirating machine.

- 9004.0060 60cc Monoject
- 9004.0030 30cc Monoject
- 9004.0020 20cc BD
- 9004.0018 20cc Monoject
- 9004.0010 10cc BD
- 9004.0012 10/12cc Monoject

Crown

A tiny device with a huge impact - Tulip Crowns change the centrifuge game. The Crown is designed to keep syringe contents in a virtually anaerobic atmosphere during centrifuging. Simply attach a Crown to the syringe plunger, harvest, then twist the plunger off. The Crown also has a bonus, self-sealing extractor port for cleanly removing contents from any layer of centrifuged tissue.

- 9005.0060 60cc Monoject
- 9005.0020 20cc BD
- 9005.0010 10cc BD





Johnnie Lok

The JohnnieLok holds the plunger under vacuum for easy syringe harvesting. The plunger is drawn back to the desired pressure level then twisted and locked securely.

9006.0060	60cc BD
9006.0065	60cc
9006.0020	20cc BD
9006.0025	20cc
9006.0010	10cc BD
9006.0012	10/12cc Monoject

Decant Stand Anaerobic Transfers

Anaerobic transfers are used to prepare and transfer extracted tissue for re-injection. The Decant Stand design also allows for a natural gravity decant of extracted tissue.

9007.0060	60cc to Luer
9007.0065	Luer to Luer



Anaerobic Transfers

Anaerobic transfers are used to prepare and transfer extracted tissue for fat re-injection and also play an important role in proprietary NanoTransfer system.

9008.0012	1.2 mm
9008.0014	1.4 mm
9008.0024	2.4 mm





NanoTransfer

Introducing the patent-pending NanoTransfer. This proprietary closed system helps size adipose tissue so that it is injectable with 27g and 30g needles. NanoTransfer - taking fat transfer to the smallest level.

9009.0001



Sterilization/ Storage Box

- 9050.0001 for medium cannulas
- 9050.0002 for large cannulas



Syringe Decanting and Injection

- 9060.0001 50/60 cc
- 9060.0002 20 cc
- 9060.0003 10 cc



Fat Injector Sets


9060.001





Fat Injector Sets

9060.002





Fat Injector Sets

9060.003





The J.W. Little Set

The J.W. Little Set, a CellFriendly, reusable set inspired by Dr. J. William Little, is designed for extremely precise injection.

- 1 each Tumescant Infiltrator SuperLuerLok 2.1mm x 20cm
- 1 each Sorensen Harvester SuperLuerLok 2.4mm x 20cm
- 1 each J.W. Little Harvester SuperLuerLok 2.1mm x 12cm
- 1 each J.W. Little Injector SuperLuerLok 0.7mm x 4cm
- 1 each J.W. Little Injector SuperLuerLok 0.9mm x 5cm
- 1 each J.W. Little Injector SuperLuerLok 1.2mm x 7cm
- 2 each JohnnieLok BD 10cc
- 1 each Anaerobic Transfer Luer to Luer 2.4mm

The Marten Clinic Starter Set

The Marten Set was designed and inspired by Dr. Timothy Marten. This reusable CellFriendly set is a facial sculpting set for the discriminating surgeon.

- 1 each Tumescant Infiltrator SuperLuerLok 1.6mm x 15cm
- 1 each Tonnard Harvester SuperLuerLok 2.1mm x 15cm
- 1 each Carraway Harvester SuperLuerLok 2.1mm x 15cm
- 1 each Carraway Harvester SuperLuerLok 2.4mm x 20cm
- 2 each Micro Injector SuperLuerLok 0.7mm x 4cm
- 2 each Micro Injector SuperLuerLok 0.7mm x 5cm
- 2 each Micro Injector SuperLuerLok 0.9mm x 5cm
- 2 each Micro Injector SuperLuerLok 1.2mm x 6cm
- 1 each Micro Injector SuperLuerLok 1.2mm x 8cm
- 1 each Toledo V-Dissector SuperLuerLok 1.4mm x 6cm
- 1 each Anaerobic Transfer, Luer to Luer 2.4mm
- 1 each NanoSpin Laboratory Centrifuge
- 1 each Centrifuge Caps for LuerLok Syringes, 50 ct. - Sterile

The Tonnard/Verpaele MicroFat Set

This reusable and CellFriendly set includes instruments designed and recommended by Dr. Patrick Tonnard and Dr. Alexis Verpaele. It is a MicroFat instrument set perfect for fine facial sculpting and contouring.

- 1 each Tumescant Infiltrator SuperLuerLok 2.1mm x 20cm
- 1 each Tonnard Harvester SuperLuerLok 2.4mm x 20cm
- 1 each Tonnard Superficial Injector SuperLuerLok 0.7mm x 5cm
- 1 each Tonnard Superficial Injector SuperLuerLok 0.9mm x 7cm
- 1 each Micro Injector SuperLuerLok 0.7mm x 5cm
- 1 each Micro Injector SuperLuerLok 0.9mm x 5cm
- 1 each JohnnieLok BD 10cc
- 1 each JohnnieLok BD 20cc
- 1 each Tulip Anaerobic Transfer Luer to Luer 2.4mm

The Jeroen Stevens Small Volume Set

The Jeroen Stevens Sets are designed for "Organic Surgery," which is the use of autologous living fat cells (and their precursors).

- 1 each Tumescant Infiltrator Luer Lock 2.1mm x 24cm
- 1 each Portless V-Dissector 1.6mm x 9cm
- 1 each Sorensen Harvester SuperLuerLok 2.4mm x 22cm
- 1 each Curved Tulip Injector SuperLuerLok 1.4mm x 10cm
- 1 each Micro Injector SuperLuerLok 0.9mm x 5cm
- 1 each Emulsifier 3x holes Luer to Luer 1.4mm



The Jeroen Stevens Large Volume Set

The Jeroen Stevens Sets are designed for "Organic Surgery," which is the use of autologous living fat cells (and their precursors).

- 1 each Tumescant Infiltrator Luer Lock 2.4mm x 32cm
- 1 each Sorensen Harvester 60cc 3.0mm x 30cm
- 1 each Injector SuperLuerLok 2.1mm x 17cm
- 1 each Injector SuperLuerLok 2.4mm x 17cm

The Ghavami Set

This reusable CellFriendly set inspired and recommended by Dr. Ashkan Ghavami is designed for body contouring and buttock reshaping.

- 1 each Mercedes 60cc 3.7mm x 20cm
- 1 each Mercedes 60cc 4.6mm x 25cm
- 1 each Spoon Injector SuperLuerLok 1.6mm x 10cm
- 1 each Spoon Injector SuperLuerLok 2.4mm x 15cm
- 1 each Spoon Injector SuperLuerLok 3.0mm x 15cm
- 1 each V-Dissector SuperLuerLok 1.6mm x 9cm
- 1 each V-Dissector SuperLuerLok 3.0mm x 15cm
- 1 each Anaerobic Transfer 60cc to Luer Lock

NanoTransfer Reusable Starter Set

This reusable closed system helps size adipose tissue so that it is injectable with 27g and 30g needles. Tulip's NanoTransfer - taking fat transfer to the smallest level.

- 1 each Reusable NanoTransfer
- 10 each Sterile NanoTransfer Cartridges
- 1 each Anaerobic Transfer 1.2mm
- 1 each Anaerobic Transfer 1.4mm
- 1 each Anaerobic Transfer 2.4mm

Standard Facial Set

This complete set contains Tulip's patented SuperLuerLok hub and proprietary CellFriendly cannulas to harvest and re-inject adipose tissue with improved viability.

- 1 each Tumescant Infiltrator SuperLuerLok 2.1mm x 20cm
- 1 each Sorensen Harvester SuperLuerLok 2.4mm x 20cm
- 1 each Micro Injector SuperLuerLok 0.7mm x 4cm
- 1 each Micro Injector SuperLuerLok 0.9mm x 5cm
- 1 each Micro Injector SuperLuerLok 1.2mm x 7cm
- 1 each Johnnie Lok BD 10cc
- 1 each Johnnie Lok BD 20cc
- 1 each Decant Stand & Anaerobic Transfer, Luer to Luer

Standard Breast Set

This set includes harvesting, re-injecting, and contouring instruments

- 1 each Tumescant Infiltrator SuperLuerLok 2.1mm x 20cm
- 1 each Sforza Harvester, SuperLuerLok 3.0mm x 20cm
- 1 each Spoon Tip Injector, SuperLuerLok 1.6mm x 10cm
- 1 each Spoon Tip Injector, SuperLuerLok 2.1mm x 15cm
- 1 each Spoon Tip Injector, SuperLuerLok 2.4mm x 20cm
- 1 each Johnnie Lok BD 20cc
- 1 each Johnnie Lok BD 60cc
- 1 each Decant Stand-Anaerobic Transfer, Luer to Luer

Address:
INTERNATIONAL TULIP MEDICAL
New Adalat Garha, Sialkot, Pakistan.
Tel: +92 523 559 538
Fax: +92 523 559 538
Cell: +92 332 862 4904
Web: www.itulipmedical.com
Email: info.tulipmedical@gmail.com



LINE CHAT



WE CHAT



TALK CHAT

